



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

$$\begin{aligned}
& + \frac{1}{360} \int_0^{4\pi} (4\sin^2\theta + 2\cos^2\theta + 42\sin\theta\cos\theta - 12\sin\theta\cos^3\theta - 20\sin^3\theta\cos\theta + \sec^8\operatorname{cosec}^2\theta \\
& \quad + 6\sec^7\theta\operatorname{cosec}\theta - 60\sec^2\theta\operatorname{cosec}\theta - 6\sec\theta\operatorname{cosec}\theta - 36\tan\theta + 10\tan^2\theta \\
& \quad + 20\tan^3\theta - \cot^2\theta + 20\operatorname{cosec}^2\theta + 123\sec^2\theta - 50\tan\theta\sec^2\theta + 5\tan^2\theta\sec^2\theta \\
& \quad + 14\tan^3\theta\sec^2\theta - 103\tan^4\theta\sec^2\theta + 186\tan^5\theta\sec^2\theta - 236\tan^6\theta\sec^2\theta \\
& \quad + 192\tan^7\theta\sec^2\theta - 60\tan^8\theta\sec^2\theta + 36\tan^9\theta\sec^2\theta + 84\tan^{10}\theta\sec^2\theta \\
& \quad + 45\tan^{12}\theta\sec^2\theta) d\theta = \frac{1}{400} \frac{9}{0} \frac{9}{0} \frac{3}{4} \frac{7}{0} - \frac{1}{144} \log 2.
\end{aligned}$$

$$3p' = \frac{3}{4} \frac{5}{0} \frac{9}{0} \frac{7}{4} \frac{8}{0} \frac{1}{0} - \frac{1}{48} \log 2, \quad p = 1 - 3p' = \frac{1}{48} \log 2 + \frac{4}{0} \frac{0}{0} \frac{6}{4} \frac{1}{0} \frac{9}{0}. \quad \therefore p = .260292.$$

124. Proposed by F. P. MATZ, Sc. D., Ph. D., Professor of Mathematics and Astronomy in Defiance College, Defiance, Ohio.

Find the average area of a spherical polygon of $n=6$ sides.

No solution of this problem has been received.

MISCELLANEOUS.

118. Proposed by O. W. ANTHONY, New York, N. Y.

If f is determined by the equation $f(\mu\nu) = f(\mu)f^{-1}(\nu) + f(\nu)f^{-1}(\mu)$, where f^{-1} is the inverse of f , show that $f[(2)^\mu] = \frac{k^{\mu+1}}{2^{\mu+1}}$, where k is a constant.

Solution by G. B. M. ZERR, A. M., Ph.D., Professor of Chemistry and Physics, The Temple College, Philadelphia, Pa.

$$f(\mu\nu) = ff^{-1}(\mu\nu) + ff^{-1}(\mu\nu), \text{ but } ff^{-1} = 1. \quad \therefore f(\mu\nu) = 2(\mu\nu). \quad \therefore f = 2.$$

$$\therefore (2)^\mu = (f)^\mu \text{ or } f[(2)^\mu] = (f)^\mu + 1 = (2)^\mu + 1.$$

$$\therefore f[(2)^\mu] = (\frac{1}{2}k)^{\mu+1}, \text{ where } k=4.$$

119. Proposed by L. C. WALKER, A. M., Graduate Student, Leland Stanford Jr. University, Cal.

Show how to determine the illumination at any point of the surface of the water at the bottom of a deep well, due to the light from the sky.

A solution of this problem appeared in the November number. The problem was incorrectly numbered. Ed.

120. Proposed by W. J. GREENSTREET, M. A., Editor of The Mathematical Gazette, Stroud, England.

$$\text{Prove } \Sigma \cos^4 x - 2\Pi \cos^2 x + 2\Pi \sin^2 x = 1 - \sin(\Sigma) \sin \Pi(y+z-x).$$

Solution by G. B. M. ZERR, A. M., Ph.D., Professor of Chemistry and Physics, The Temple College, Philadelphia, Pa.

$$\sin(\Sigma) \sin \Pi(y+z-x)$$

$$= \sin(x+y+z) \sin(x+y-z) \sin(z-y+x) \sin(z+y-x)$$

$$\begin{aligned}
&= [\sin^2(x+y) - \sin^2 z][\sin^2 z - \sin^2(y-x)] \\
&= \sin^2 z [\sin^2(x+y) + \sin^2(y-x) - \sin^4 z - \sin^2(y+x)] \\
&= 2\sin^2 x \sin^2 y + 2\sin^2 x \sin^2 z + 2\sin^2 y \sin^2 z - 4\sin^2 x \sin^2 y \sin^2 z - \sin^4 x \\
&\quad - \sin^4 y - \sin^4 z \\
&= 2\Ssin^2 II(xz) - 4II\sin^2 x - \Sigma\sin^4 x.
\end{aligned}$$

$$1 - \sin(\Sigma)\sin II(y+z-x) = 1 + \Sigma\sin^4 x + 4II\sin^2 x - 2\Ssin^2 II(xy) \dots (1).$$

$$\begin{aligned}
\S\cos^4 x - 2II\cos^2 x + 2II\sin^2 x &= \cos^4 x + \cos^4 y + \cos^4 z - 2\cos^2 x \cos^2 y \cos^2 z \\
&\quad + 2\sin^2 x \sin^2 y \sin^2 z = 1 + \sin^2 x + \sin^4 y + \sin^4 z + 4\sin^2 x \sin^2 y \sin^2 z \\
&\quad - 2\sin^2 x \sin^2 y - 2\sin^2 x \sin^2 z - 2\sin^2 y \sin^2 z \\
&= 1 + \Sigma\sin^4 x + 4II\sin^2 x - 2\Ssin^2 II(xy) \dots (2).
\end{aligned}$$

$$\therefore (1) = (2). \quad \sin(a+b)\sin(a-b) = \sin^2 a - \sin^2 b \text{ gives } (1).$$

No solutions of Problems 121, 122, 123, and 127 have been received. **Ed.**

NOTES.

BIOGRAPHICAL SKETCH OF THE LATE HON. JOSIAH H. DRUMMOND.

The story of the life of Dr. Drummond when fully written would comprise a large part of the political history of the State of Maine during the last half a century. Only the leading facts in his life can here be narrated. For a more extended narrative of his life, the reader is referred to the newspapers of Portland, Maine, all of which at the time of his death gave very fully the leading events of his life.

Josiah H. Drummond was born in Winslow, Maine, August 30, 1827, and died at Portland, Maine, October 25, 1902. He graduated from Colby in 1846; read law in the office of Boutelle & Noyes in Waterville; was admitted to the bar of Maine in 1850, and to the bar of California, to which State he made a business trip, in 1851; returned to Maine and began the practice of law at Waterville; left the democratic party in 1855 on the anti-slavery issue and became one of the founders of the Republican party; was elected to the House of Representatives of Maine in 1857 and 1858, serving as Speaker; elected to State Senate in 1859, he was almost immediately after the beginning of the session elected attorney general and was three times re-elected; removed to Portland in 1860, was elected to the House from Portland in 1869, and declined a re-election in 1870; received the degree of LL. D. from Colby College in 1871. He was a practicing lawyer, vice president of the trustees of Colby; a director of the Union Mutual Life Insurance Company, and of the Union Safe Deposit and Trust Company, and clerk of the Maine Central corporation.